

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 December 2010

(For the Period 1 December 2010 to 14 December 2010)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-70435A(1)	Fuze, Point Detonating (PD), M759 [CUST: AR]	D	1305		AR	09-DEC-2010
M	MIL-DTL-32099C	Cartridge, Impulse, CCU-145/A [CUST: OS]	A	1377		OS	08-DEC-2010
M	MIL-C-46618B(1) NOT 2	Cartridge, Impulse, M73 Assembly [CUST: OS]	A	1377		OS	02-DEC-2010
N	SAE-ARP4386	Terminology and Definitions for Aerospace Fluid Power, Actuation and Control Technologies [CUST: AV AS 99] [REVIEW: 11 71 AT MC MI SA SH]	A	1650		AS	01-DEC-2010
M	A-A-52166B	Snowmobiles: Gasoline Engine Driven, Commercial [CUST: AT 99] [REVIEW: 84 CR]	A	2340	/	AT	13-DEC-2010
M	A-A-59633B	Bearing, Ball, Annular, Single Row, Angular Contact, Contact Angle 33 Degrees Through 45 Degrees, Dimension Series 02 [CUST: AT OS 99 GS] [REVIEW: 84 GL MI]	A	3110	/	GS4	07-DEC-2010
M	A-A-59634B	Bearing, Ball, Annular, Single Row, Angular Contact, Contact Angle 33 Degrees Through 45 Degrees, Dimension Series 03 [CUST: AT OS 99 GS] [REVIEW: 84 GL MI]	A	3110	/	GS4	07-DEC-2010
M	SAE-AS21240	Bearing, Sleeve, Plain, Self-Lubricating, -65 to +250 Degrees F [CUST: AV AS 99 GS]	A	3120		AS	01-DEC-2010
N	SAE-AS21241	Bearing, Sleeve, Flanged, Self-Lubricating -65 Degrees to +250 Degrees F [CUST: AV AS 99 GS]	A	3120		AS	01-DEC-2010
M	MIL-B-23071/1D(1) NOT 3	Blowers: Miniature, for Cooling Electronic Equipment, Tube Axial (26 and 35 Watts Input Power) [CUST: CR4 EC 99] [REVIEW: MI]	A	4140		IS	10-DEC-2010
M	MIL-PRF-14512M	Filter, Gas, 340 L/M, M12A2 [CUST: EA]	X	4240		EA	29-NOV-2010
M	MIL-PRF-12732F	Hypochlorination Unit, Water Purification, Frame Mounted, Automatically Controlled 2 to 350 GPM Flow [CUST: AT YD 99] [REVIEW: 84 CC CE MD]	A	4610		AT	24-NOV-2010
N	ASTM-A500/A500M	Cold-Formed Welded and Seamless Carbon Steel Structural Tubing in Rounds and Shapes, Standard Specification for [CUST: CR4 YD 99 CC] [REVIEW: 11 71 AR AS AT AV MC SA SH]	A	4710		CC	22-NOV-2010
N	ASTM-B429/B429M	Aluminum-Alloy Extruded Structural Pipe and Tube, Standard Specification for [CUST: CR4 YD 99 CC] [REVIEW: 11 71 AR AS AT AV MC SA SH]	A	4710		CC	22-NOV-2010
M	MIL-PRF-39009E(1)	Resistors, Fixed, Wire-Wound (Power Type, Chassis Mounted), Nonestablished Reliability, Established Reliability, General Specification [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AV CG CR4 MC MI OS]	A	5905		CR	05-NOV-2010
M	MIL-PRF-39009/1D	Resistors, Fixed, Wire-Wound, (Power Type, Chassis Mounted), Nonestablished Reliability, and Established Reliability, Styles RER60, RER65, RER70, and RER75 [CUST: CR EC 85 CC] [REVIEW: 19 AR AT CG CR4 MC MI OS]	A	5905		CR	05-NOV-2010
M	MIL-PRF-39009/2C	Resistors, Fixed, Wire-Wound, (Power Type, Chassis Mounted), Nonestablished Reliability, and Established Reliability, Styles RER40, RER45, RER50, and RER55 [CUST: CR EC 85 CC] [REVIEW: 19 AT AV CG CR4 MC MI OS]	A	5905		CR	05-NOV-2010
M	MIL-PRF-123/10D NOT 1	Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability, Nonleaded, Style CKS51 [CUST: EC 19 CC NA]	A	5910		CC	10-DEC-2010
M	MIL-PRF-123/11E NOT 1	Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability, Nonleaded, Style CKS52 [CUST: EC 19 CC NA]	A	5910		CC	10-DEC-2010
M	MIL-PRF-123/12D NOT 1	Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability, Nonleaded, Style CKS53 [CUST: EC 19 CC NA]	A	5910		CC	10-DEC-2010
M	MIL-PRF-123/21C NOT 1	Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability, Nonleaded, Style CKS55 [CUST: EC 19 CC NA]	A	5910		CC	10-DEC-2010
M	MIL-PRF-123/22C NOT 1	Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability, Nonleaded, Style CKS56 [CUST: EC 19 CC NA]	A	5910		CC	10-DEC-2010
M	MIL-PRF-123/23B NOT 1	Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability, Nonleaded, Style CKS57 [CUST: EC 19 CC NA]	A	5910		CC	10-DEC-2010
M	MIL-PRF-39014H(1) SUP 1	Capacitor, Fixed, Ceramic Dielectric (General Purpose), Established Reliability and Non-Established Reliability, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AT AV MC MI]	A	5910		CR	05-NOV-2010
M	MIL-PRF-83421E	Capacitors, Fixed, Metallized, Plastic Film Dielectric, (DC, AC, or DC and AC), Hermetically Sealed in Metal Cases or Ceramic Cases, Established Reliability, General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC OS SH]	A	5910		CC	06-DEC-2010
M	MS25452H	Guard, Switch, 2 Position, Lock [CUST: CR AS 11 CC] [REVIEW: 99]	A	5930		CC	06-DEC-2010
M	QPL-24236-34	Switches, Thermostatic (Metallic and Bimetallic), General Specification for	A	5930		CC	29-NOV-2010
N	SAE-AS31301	Connector, Receptacle, Electric, Solder Type, Wall Mtg. Flange, Push-Pull Coupling, Series 1 (Class E, P, and J) [CUST: CR AS 85 CC] [REVIEW: 99 AR AV MI]	A	5935		AS	10-DEC-2010
N	SAE-AS31321	Connector, Receptacle, Electric, Hermetic, Solder Type, Box Mounting, Flange, Push-Pull Coupling, Series 1 (Class E and H) [CUST: CR AS 85 CC] [REVIEW: AR CR4 MI]	A	5935		AS	10-DEC-2010
N	SAE-AS31341	Connector, Receptacle, Electric, Solder Type, Jam Nut Mounting, Push-Pull, Coupling, Series 1 (Class E, P, J and H) [CUST: CR AS 85 CC]	A	5935		AS	10-DEC-2010
N	SAE-AS31351	Connector, Receptacle, Electric, Dummy Stowage, Wall Mounting Flange, Push-Pull Coupling (Series 1 and 2 Connectors) [CUST: CR AS 85 CC] [REVIEW: MI]	A	5935		AS	10-DEC-2010
M	SAE-AS31371	Connector, Plug, Electric, Solder Type, Push-Pull Coupling Series 1 (Class E, P, and J) [CUST: CR AS 85 CC]	A	5935		AS	30-JUN-1998
N	SAE-AS31381	Connector, Plug, Electric, Solder Type Lanyard, Push-Pull Coupling, Series 1 (Class E, P, and J) [CUST: CR AS 85 CC]	A	5935		AS	10-DEC-2010
N	SAE-AS31401	Connector, Receptacle, Electric, Crimp Type, Wall Mounting Flange, Push- Pull, Coupling, Series 2 (Class E and J) [CUST: CR AS 85 CC]	A	5935		AS	10-DEC-2010
N	SAE-AS31441	Connector, Receptacle, Electric, Crimp Type, Jam Nut Mounting, Push Pull, Coupling, Series 2 (Class E and J) [CUST: CR AS 85 CC]	A	5935		AS	10-DEC-2010
N	SAE-AS31461	Connector, Receptacle, Electric, Hermetic, Crimp Type, Solder Mounting, Push-Pull Coupling, Series 3 (Class N) [CUST: AS CC] [REVIEW: EC]	A	5935		AS	10-DEC-2010
N	SAE-AS31471	Connector, Plug, Electric, Crimp Type, Push-Pull Coupling, Series 2 (Class E, and J) [CUST: CR AS 85 CC]	A	5935		AS	10-DEC-2010
N	SAE-AS31481	Connector, Plug, Electric, Crimp Type, Lanyard, Push-Pull Coupling, Series 2 (Class E and J) [CUST: CR AS 85 CC]	A	5935		AS	10-DEC-2010
N	SAE-AS31491	Connector, Receptacle, Electric, Hermetic, Crimp Type, Single Hole Mounting, Push-Pull Coupling, Series 3 (Class N) [CUST: AS CC] [REVIEW: EC]	A	5935		AS	10-DEC-2010
N	SAE-AS31821	Cover, Protective, Electronic Connector, Plug, Push-Pull Coupling [CUST: CR AS 85 CC]	A	5935		AS	10-DEC-2010
N	SAE-AS33698	Insert Arrangements, Electric Connector, Shell Size 3 [CUST: AS 85 CC] [REVIEW: EC]	A	5935		AS	10-DEC-2010
N	SAE-AS33699	Insert Arrangements, Electric Connector, Shell Size 7 [CUST: CR AS 85 CC] [REVIEW: EC MI]	A	5935		AS	10-DEC-2010
N	SAE-AS33700	Insert Arrangements, Electric Connector, Shell Size 12 [CUST: CR AS 85 CC] [REVIEW: EC MI]	A	5935		AS	10-DEC-2010
N	SAE-AS33701	Insert Arrangements, Electric Connector, Shell Size 19 [CUST: CR AS 85 CC] [REVIEW: EC]	A	5935		AS	10-DEC-2010
N	SAE-AS33702	Insert Arrangements, Electric Connector, Shell Size 27 [CUST: AS 85 CC]	A	5935		AS	10-DEC-2010
N	SAE-AS33703	Insert Arrangements, Electric Connector, Shell Size 37 [CUST: AS 85 CC] [REVIEW: EC]	A	5935		AS	10-DEC-2010
N	SAE-AS34451	Connector, Plug, Electric, Crimp Type, Rack and Panel, Series 2 (Class E) [CUST: AS CC]	A	5935		AS	10-DEC-2010

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
N	SAE-AS34461	Connector, Plug, Electric, Crimp Type, Rack and Panel, Series 3 (Class L and E) [CUST: AS CC]	A	5935		AS	10-DEC-2010
N	SAE-AS34661	Connector, Receptacle, Electric, Hermetic, Solder Type, Box Mounting, Push-Pull Coupling, Series 3 (Class H) [CUST: AS CC]	A	5935		AS	10-DEC-2010
N	SAE-AS34671	Connector, Plug, Electric, Crimp Type, Push-Pull Coupling, Series 3 (Class L and E) [CUST: AS CC]	A	5935		AS	10-DEC-2010
M	SAE-AS81703	Connectors, Electric, Circular, Miniature, Rack and Panel or Push-Pull Coupling, Environment Resisting [CUST: AR AS CC] [REVIEW: EC]	A	5935		AS	10-DEC-2010
M	MIL-PRF-27/66E	Transformers, Power, 250 Volt Amperes, 400 HZ, Electrostatic Shielded [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	03-DEC-2010
M	MIL-PRF-27/157E	Transformer Power, Stepdown, [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS]	A	5950		CC	03-DEC-2010
M	MIL-PRF-27/341E	Transformers, Power, 24 Voltamperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS]	A	5950		CC	03-DEC-2010
M	MIL-PRF-27/361A	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI OS SH]	A	5950		CC	03-DEC-2010
M	MIL-PRF-27/362A	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI OS SH]	A	5950		CC	03-DEC-2010
M	MIL-PRF-27/363A	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI OS SH]	A	5950		CC	03-DEC-2010
M	MIL-PRF-19500/594B	Semiconductor Device, Diode, Silicon, Power Rectifier, Ultra Fast Recovery, Low Leakage, Types 1N6664 through 1N6666, and 1N6664R through 1N6666R JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	03-DEC-2010
M	MIL-PRF-19500/704C	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel, Silicon, Types 2N7485U3, 2N7486U3, and 2N7487U3, JANTXVR and JANSR [CUST: CR EC 85 CC NA] [REVIEW: 99]	A	5961		CC	13-DEC-2010
M	A-A-59474B	Insulation Tape, Electrical; High Temperature, Polytetrafluoroethylene, Pressure-Sensitive [CUST: CR AS 85] [REVIEW: 99 DS EC GS MI OS SM]	A	5970	/	AS	30-NOV-2010
N	SAE-AS85848	Sleeving, for Identification Marking, Heat Shrinkable, General Specification for [CUST: AS GS]	A	5970		AS	08-DEC-2010
N	SAE-AS85848/1	Sleeving, for Identification Marking, Heat Shrinkable, Polyolefin, Flexible [CUST: AS GS]	A	5970		AS	08-DEC-2010
N	SAE-AS85848/2	Sleeving, for Identification Marking, Heat Shrinkable, Polyvinylidene Fluoride, Flexible [CUST: AS GS]	A	5970		AS	08-DEC-2010
N	SAE-AS33391	Plate, Mounting, Plastic for use with MS3367 Plastic Tiedown Straps [CUST: MI AS GS] [REVIEW: EC]	A	5975		AS	08-DEC-2010
N	SAE-AS33401	Bulkhead Bracket for use with MS3367 Plastic Tiedown Straps [CUST: AS GS]	A	5975		AS	08-DEC-2010
N	SAE-AS33411	Bracket, Mounting, Plastic for use with MS3367 Plastic Tiedown Straps [CUST: MI AS 99 GS]	A	5975		AS	08-DEC-2010
M	MIL-DTL-3885G	Cable Assemblies and Cord Assemblies, Electrical [CUST: CR EC 85 GS] [REVIEW: 19 99 AR AS AT CR4 EA MC MI OS]	A	5995		GS4	29-NOV-2010
M	MIL-W-438B NOT 4	Wire, Primer, Electrical [CUST: AR OS 85 CC] [REVIEW: CR MC MI]	A	6145		CC	30-NOV-2010
N	SAE-AS6370	Wire, Electrical, Insulated, Antenna [CUST: CR AS 85 CC] [REVIEW: IS]	A	6145		AS	01-DEC-2010
N	A-A-59876	Calibrator, Torque Wrench 5 in-Lbs - 2000 ft-Lbs [CUST: 84] [REVIEW: IS]	A	6635	/	84	30-NOV-2010
M	A-A-267C	Deodorant, General Purpose (Aerosol Air Freshener) [CUST: GS]	A	6840	/	GS3	06-DEC-2010
M	MIL-DTL-4710E NOT 1	Case Set, Transport and Storage [CUST: GL SA 11] [REVIEW: 84 99 CR CR4 MC OS SM]	A	8115		IS	10-DEC-2010
M	A-A-20331A	Food Packet, Survival [CUST: GL SA 35 SS] [REVIEW: MC MD QM]	A	8970	/	SS	03-DEC-2010
M	A-A-59137A	Lubricating Oil, Breech Block (for Naval Ordnance) [CUST: AT OS GS] [REVIEW: SA]	A	9150	/	GS3	07-DEC-2010
M	QPL-J1899-2 NOT 1	Lubricating Oil, Aircraft Piston Engine, (Ashless Dispersant) (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	9150		AS	15-DEC-2010
M	QPL-J1966-2 NOT 1	Lubricating Oils, Aircraft Piston Engine (Non-Dispersant Mineral Oil) (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	9150		AS	15-DEC-2010
N	ASTM-D5001	Aviation Turbine Fuels by the Ball-on-Cylinder Lubricity Evaluator (BOCLE), Measurement of Lubricity of, Standard Test Method for [CUST: AT AS 68 PS] [REVIEW: 11 99 AR AV GS SA SH]	A	91GP		68	03-DEC-2010
N	ASTM-D5972	Freezing Point of Aviation Fuels (Automated Phase Transition Method), Standard Test Method for [CUST: AT AS 68 PS] [REVIEW: 11 99 AR AV GS SA SH]	A	91GP		68	03-DEC-2010
N	ASTM-D6304	Water in Petroleum Products, Lubricating Oils, and Additives by Coulometric Karl Fisher Titration, Determination of, Standard Test Method for [CUST: AT AS 68 PS] [REVIEW: 99 AR AV GS SA SH]	A	91GP		68	03-DEC-2010
M	MIL-DTL-21981B(1) NOT 2	Electronics Equipment, Nomenclature, Serial Numbers and Identification Plates: Requirements for [CUST: EC CC] [REVIEW: MC SH]	A	9905		EC	01-DEC-2010
M	MIL-STD-464C	Electromagnetic Environmental Effects Requirements for Systems [CUST: SY AS 11] [REVIEW: 13 19 22 84 99 AC AM AR AT AV CE CG CR DS EC GL MC MD MI NS OS PT SH TE YD]	A	EMCS		11	01-DEC-2010
M	DI-MGMT-80934C	Operations Security (OPSEC) Plan [AMSC: N9178]	A	MGMT		NS	13-DEC-2010
M	MIL-DTL-83495C(1)	Technical Manuals - On-Equipment Maintenance Manual Set [CUST: 16] [REVIEW: 01 11 13 19]	A	TMSS		16	08-DEC-2010

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	AN121526THRUAN121550 REV 2 NOT 2	Nut - Plain, Corrosion Resistant Steel [CUST: OS 11 IS]	A	5310		IS	03-DEC-2010
M	MS27595E NOT 1	Retainer, Packing Backup, Continuous Ring, Polytetrafluoroethylene [CUST: MR AS 99 IS] [REVIEW: AV MI SA SH]	A	5330		IS	02-DEC-2010
M	MS28783F NOT 1	Ring, Gasket, Back-up, PTFE [CUST: AV AS 99 IS] [REVIEW: AR MC MI SA]	A	5330		IS	02-DEC-2010
M	MS25165F	Knob, Pointer, Illuminated, Small (ASG) [CUST: CR AS 11 IS]	A	5355		IS	02-DEC-2010
M	MIL-B-49030A	Batteries, Dry (Alkaline) [CUST: CR CC]	A	6135		CC	30-NOV-2010
N	MIL-DTL-32362	Light, Marker, Clearance-Black [CUST: AT MC 99 GS]	A	6220		GS2	07-DEC-2010
M	MIL-DTL-51408B(1)	Paper, Chemical Agent Detector, VGH, ABC-M8 [CUST: EA SH 99]	X	6665		EA	24-NOV-2010

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	SAE-ARP243	Aircraft, Hydraulic and Pneumatic Systems, Nomenclature (S/S by SAE-ARP4386) [CUST: AV AS 99] [REVIEW: 11 71 AT MI SA]	A	1650		AS	01-DEC-2010
M	MS21240D NOT 2	Bearing, Sleeve, Plain, TFE-Lined (S/S by SAE-AS81934/1 and SAE-AS21240) [CUST: AV AS 99 GS] [REVIEW: 84 AR]	A	3120		AS	16-NOV-2010
M	ASTM-A500	Steel, Carbon, Structural Tubing in Rounds and Shapes, Cold-Formed Welded and Seamless (S/S by ASTM-A500/A500M) [CUST: CR4 YD 99 CC] [REVIEW: 11 71 AR AS AT AV MC SA SH]	A	4710		CC	22-NOV-2010
M	ASTM-B429	Aluminum-Alloy Extruded Structural Pipe and Tube (S/S by ASTM-B429/B429M) [CUST: CR4 YD 99 CC]	A	4710		CC	22-NOV-2010
M	MS24388H NOT 2	Tee, Flared Tube, Internal Thread on side, Precision Type (S/S by SAE-AS1031) [CUST: AV AS 99 CC] [REVIEW: 11 71 AR AT MC SA]	A	4730		CC	01-DEC-2010
M	MS24389F NOT 2	Tee, Tube, Internal Thread on Run, Precision Type (S/S by SAE-AS1032) [CUST: AV AS 99 CC] [REVIEW: 11 71 AR CR4 MC SA]	A	4730		CC	01-DEC-2010
M	MS24390F NOT 2	Tee, Flared Tube with Bulkhead on Run - Precision Type (S/S by SAE-AS1033) [CUST: AV AS 99 CC] [REVIEW: 11 71 AR CR4 MC SA]	A	4730		CC	01-DEC-2010
M	MS24394G NOT 2	Elbow, Tube, Bulkhead, 90 Deg., Precision Type (S/S by SAE-AS1038) [CUST: AV AS 99 CC] [REVIEW: 11 71 AR CR4 MC SA]	A	4730		CC	01-DEC-2010
M	MS24395G NOT 2	Tee, Tube, Bulkhead, Precision Type (S/S by SAE-AS1039) [CUST: AV AS 99 CC] [REVIEW: 11 71 AR CR4 MC SA]	A	4730		CC	01-DEC-2010
M	MS24396E NOT 2	Elbow, Tube, Bulkhead, 45 Degrees, Precision Type (S/S by SAE-AS1040) [CUST: AV AS 99 CC] [REVIEW: 11 71 AR CR4 MC SA]	A	4730		CC	01-DEC-2010
M	MS24401D NOT 2	Elbow, Tube, 90 Degrees, Precision Type (S/S by SAE-AS1034) [CUST: AV AS 99 CC] [REVIEW: 11 71 AR CR4 MC SA]	A	4730		CC	01-DEC-2010
M	MS24402D NOT 2	Tee, Tube, Precision Type (S/S by SAE-AS1035) [CUST: AV AS 99 CC] [REVIEW: 11 71 AR CR4 MC SA]	A	4730		CC	01-DEC-2010
M	MS24403E NOT 2	Cross, Tube, Precision Type (S/S by SAE-AS1036) [CUST: AV AS 99 CC] [REVIEW: 11 71 AR CR4 MC SA]	A	4730		CC	01-DEC-2010
M	MIL-C-22520/24A NOT 1	Crimping Tools, Terminal, Hand or Power Actuated, Wire Termination: Tool, for Lug Terminal and External Power Plug Socket Contacts, Size 22-10 (S/S by MIL-DTL-22520/38) [CUST: AS CC] [REVIEW: EC GS MC OS SH]	A	5120		AS	10-DEC-2010
M	MIL-C-81703 SUP 1A NOT 2	Connectors, Electric, Circular, Miniature, Rack and Panel or Push-Pull Coupling, Environment Resisting (S/S by SAE-AS81703) [CUST: CR AS 85 CC] [REVIEW: 99 AR AV CR4 EC MI]	A	5935		AS	10-DEC-2010
M	MS3130D(1) NOT 2	Connectors, Receptacle, Electric, Solder Type, Wall Mounting Flange, Push Pull Coupling, Series 1 (Class E, P and J) (S/S by SAE-AS31301) [CUST: CR AS 85 CC] [REVIEW: 99 AR AV MI]	A	5935		AS	10-DEC-2010
M	MS3132D(1) NOT 2	Connector, Receptacle, Electric, Solder Type, Box Mounting Flange, Pull Coupling, Series 1 (Class E and H) (S/S by SAE-AS31321) [CUST: CR AS 85 CC] [REVIEW: AR CR4 MI]	A	5935		AS	10-DEC-2010
M	MS3134F(1) NOT 3	Connector, Receptacle, Electric, Solder Type, Jam Nut Mounting, Push-Pull Coupling, Series 1 (Class E, P, J and H) (S/S by SAE-AS31341) [CUST: CR AS 85 CC]	A	5935		AS	10-DEC-2010
M	MS3135D(1) NOT 2	Connector, Receptacle, Electric, Dummy Stowage, Wall Mounting Flange Push Pull Coupling (Series 1 and 2 Connectors) (S/S by SAE-AS31351) [CUST: CR AS 85 CC] [REVIEW: MI]	A	5935		AS	10-DEC-2010
M	MS3137E NOT 3	Connector, Plug, Electric, older Type, Push-Pull Coupling Series I (Class E, P and J) (S/S by SAE-AS31371) [CUST: CR AS 85]	A	5935		AS	10-DEC-2010
M	MS3138D(1) NOT 4	Connector, Plug, Electric, Solder Type Lanyard, Push-Pull Coupling, Series I (Class E, P and J) (S/S by SAE-AS31381) [CUST: CR AS 85 CC]	A	5935		AS	10-DEC-2010
M	MS3140C(1) NOT 3	Connector, Receptacle, Electric, Crimp Type, Wall Mounting Flange, Push-Pull Coupling, Series 2 (Class E and J) (S/S by SAE-AS31401) [CUST: CR AS 85 CC]	A	5935		AS	10-DEC-2010
M	MS3144C(1) NOT 3	Connector, Receptacle, Electric Crimp Type, Jam Nut Mounting, Push-Pull Coupling Series 2 (Class E and J) (S/S by SAE-AS31441) [CUST: CR AS 85 CC]	A	5935		AS	10-DEC-2010
M	MS3146(1) NOT 2	Connector, Receptacle, Electric, Crimp Type, Solder Mounting, Push Pull Coupling, Series 3 (Class N) (S/S by SAE-AS31461) [CUST: AS CC] [REVIEW: EC]	A	5935		AS	10-DEC-2010
M	MS3147D(1) NOT 4	Connector, Plug, Electric Crimp Type, Push - Pull Coupling Series 2 (Class E and J) (S/S by SAE-AS31471) [CUST: CR AS 85 CC]	A	5935		AS	10-DEC-2010
M	MS3148D(1) NOT 4	Connector, Plug, Electric, Crimp Type Lanyard, Push-Pull Coupling Series 2 (Class E and J) (S/S by SAE-AS31481) [CUST: CR AS 85 CC]	A	5935		AS	10-DEC-2010
M	MS3149(1) NOT 2	Connector, Receptacle, Electric, Hermetic, Crimp Type, Single Hole Mounting, Push-Pull Coupling Series 3 (Class N) (S/S by SAE-AS31491) [CUST: AS CC] [REVIEW: EC]	A	5935		AS	10-DEC-2010
M	MS3182D(1) NOT 3	Cover, Protective, Electric Connector, Plug, Push-Pull Coupling (S/S by SAE-AS31821) [CUST: CR AS 85 CC]	A	5935		AS	10-DEC-2010
M	MS3445 NOT 3	Connectors, Plug, Electric, Crimp Type, Rack and Panel, Series 2 (Class E) (S/S by SAE-AS34451) [CUST: AS]	A	5935		AS	10-DEC-2010
M	MS3446 NOT 3	Connector, Plug, Electric, Crimp Type, Rack and Panel, Series 3 (lass L and E) (S/S by SAE-AS34461) [CUST: AS]	A	5935		AS	10-DEC-2010
M	MS3466(1) NOT 3	Connector, Receptacle, Electric, Hermetic, Solder Type, Box Mounting, Push-Pull Coupling, Series 3 (Class H) (S/S by SAE-AS34661) [CUST: AS CC]	A	5935		AS	10-DEC-2010
M	MS3467(1) NOT 3	Connector, Plug, Electric, Crimp Type, Push-Pull Coupling, Series 3 (Class L and E) (S/S by SAE-AS34671) [CUST: AS CC]	A	5935		AS	10-DEC-2010
M	MS33698F(1) NOT 2	Insert Arrangements, Electric Connector, Shell Size 3 (Navy) (S/S by SAE-AS33698) [CUST: AS 85 CC] [REVIEW: EC]	A	5935		AS	10-DEC-2010
M	MS33699F NOT 1	Insert Arrangements, Electric Connector, Shell Size 7 (Navy) (S/S by SAE-AS33699) [CUST: AS 85] [REVIEW: CC EC MI]	A	5935		AS	10-DEC-2010
M	MS33700F(1) NOT 2	Insert Arrangements, Electric Connector, Shell Size 12 (Navy) (S/S by SAE-AS33700) [CUST: AS 85 CC] [REVIEW: EC MI]	A	5935		AS	10-DEC-2010
M	MS33701G(1) NOT 2	Insert Arrangements, Electric Connector, Shell Size 19 (Navy) (S/S by SAE-AS33701) [CUST: AS 85 CC] [REVIEW: EC]	A	5935		AS	10-DEC-2010
M	MS33702E(1) NOT 2	Insert Arrangements, Electric Connector, Shell Size 27 (Navy) (S/S by SAE-AS33702) [CUST: AS 85 CC]	A	5935		AS	10-DEC-2010
M	MS33703F(1) NOT 2	Insert Arrangements, Electric Connector, Shell Size 37 (Navy) (S/S by SAE-AS33703) [CUST: AS 85 CC] [REVIEW: EC]	A	5935		AS	10-DEC-2010
M	MIL-S-85848 NOT 1	Sleeving, for Identification Marking, Heat Shrinkable, General Specification for (S/S by SAE-AS85848) [CUST: AS GS]	A	5970		AS	08-DEC-2010
M	MIL-S-85848/1(1) NOT 1	Sleeving, for Identification Marking, Heat Shrinkable, Polyoeфин, Flexible (S/S by SAE-AS85848/1) [CUST: AS GS]	A	5970		AS	08-DEC-2010

ASSIST UPDATE

15-DEC-2010